

Amendment to the Claims:

The listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A mobile terminal having a first receiver for receiving a first signal from a first communications network including a communication service comprising:

a second receiver within said mobile terminal for receiving a second signal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service or an announcement relating to a schedule of communication service.

2. (Previously Presented) A terminal according to claim 1, comprising a controller for configuring said first receiver according to said complementary information.

3. (Previously Presented) A terminal according to claim 1, wherein said first receiver is enabled to receive said first signal in response to said complementary information.

4. (Currently Amended) A terminal according to claim 1, wherein said complementary information comprises ~~schedule and configuration data~~ for configuring the first receiver.

5. (Previously Presented) A terminal according to claim 1, comprising storage means for storing user preferences.

6. (Previously Presented) A terminal according to claim 5, comprising decision means for deciding whether said second signal should enable said first receiver in dependence on the stored user preferences.

7. (Currently Amended) A terminal according to claim 1, wherein said first signal is a digital video broadcasting ~~(DVB)~~ signal, and said first receiver is a digital video broadcasting ~~(DVB)~~ receiver.

8. (Currently Amended) A terminal according to claim 1, wherein said second signal is a global system for mobile ~~(GSM)~~ signal, and said second receiver is a global system for mobile ~~(GSM)~~ receiver.

9. (Currently Amended) A terminal according to claim 1, wherein said second signal is a general packet radio service ~~(GPRS)~~ signal, and said second receiver is a general packet radio service ~~(GPRS)~~ receiver.

10. (Previously Presented) A terminal according to claim 1, wherein the first signal includes a data file, said terminal being actuable in response to said complementary information to receive said data file.

11. (Withdrawn) Apparatus for transmitting a signal to a receiver via a first communications network comprising:

a transmitter for transmitting complementary information relating to said signal via a second communication network.

12. (Withdrawn) Apparatus according to claim 11, wherein said complementary information comprises schedule and configuration data relating to said first signal.

13. (Withdrawn) Apparatus according to claim 11, further comprising storage means for storing details of subscriber preferences.

14. (Withdrawn) Apparatus according to claim 13, further comprising decision means for deciding to which subscribers to transmit said second signal in dependence on said stored subscriber preferences.

15. (Withdrawn) Apparatus according to claim 11, wherein said first signal is a digital video broadcasting (DVB) signal, and said first communications network is a digital video broadcasting (DVB) network.

16. (Withdrawn) Apparatus according to claim 11, wherein said second communications network is a global system for mobile (GSM) network, and said transmitter is a global system for mobile (GSM) transmitter.

17. (Withdrawn) Apparatus according to claim 11, wherein said second communications network is a general packet radio service (GPRS) network, and said transmitter is a general packet radio service (GPRS) transmitter.

18. (Currently Amended) A method of receiving a first signal by a mobile terminal from a first communications network including a communication service comprising:

receiving a second signal with said mobile terminal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service or an announcement relating to a schedule of communication service.

19. (Previously Presented) A method according to claim 18, comprising receiving said first signal in accordance with said complementary information.

20. (Previously Presented) A method according to claim 18, comprising storing user preferences.

21 . (Previously Presented) A method according to claim 20, comprising deciding whether said second signal should be received in dependence on said stored user preferences.

22. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network comprising:

transmitting complementary information relating to said signal via a second communication network.

23. (Withdrawn) A method according to claim 22, wherein the step of transmitting complementary information comprises transmitting schedule and configuration data relating to said signal.

24. (Withdrawn) A method according to claim 22, further comprising storing details of subscriber preferences.

25. (Withdrawn) A method according to claim 24, further comprising deciding whether to transmit said complementary information to a subscriber in dependence on said stored preferences.

26. (Withdrawn) A method according to claim 22, comprising transmitting said signal as a digital video broadcasting (DVB) signal.

27. (Withdrawn) A method according to claim 22, comprising transmitting said complementary information via a global system for mobile (OSM) network.

28. (Withdrawn) A method according to claim 22, comprising transmitting said complementary information via a general packet radio service (GPRS) network.

29. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network, comprising receiving a request for non-scheduled content to be included in said signal and transmitting service information via a second communications network identifying availability of said non-scheduled content.

30. (Withdrawn) A method as claimed in Claim 29, wherein said service information is generated in accordance with changes to scheduled content to include said non-scheduled content in said signal.

31. (Withdrawn) A method as claimed in Claim 29, wherein said service information includes schedule and configuration data relating to said signal.

32. (Withdrawn) A method as claimed in Claim 29, wherein said service information identifies a time and channel location at which said nonscheduled content will be transmitted.

33. (Withdrawn) A method of receiving a first signal from a first communications network, comprising requesting non-scheduled content to be included in said signal, receiving a second signal conveying service information via a second communications network identifying availability of said non-scheduled content and activating reception of said first signal in accordance therewith.

34. (Withdrawn) A method as claimed in Claim 33, wherein reception of said first signal is deactivated following reception of said non-scheduled content.

35. (Withdrawn) A method as claimed in Claim 33 or Claim 34, wherein acknowledgement of reception of said non-scheduled content is made to said first communications network.

36. (Withdrawn) A method as claimed in any one of Claims 33 to 35, including storing said non-scheduled content following reception of said signal.

37. (Withdrawn) A method of transmitting a signal to a receiver via a first communications network comprising transmitting complementary information relating to said signal via a second communications network, wherein said first signal contains public data and said complementary information contains personal data.

38. (Currently Amended) A method of receiving a first signal with a mobile terminal transmitted from a first communications network including a communication service comprising receiving with said mobile terminal a second signal conveying complementary information relating to the communication service included in said first signal transmitted from a second communications network and said complementary information comprises an announcement relating to the communication service or an announcement relating to a schedule of communication service, and combining said information from said second signal with content in said first signal.

39. (Previously Presented) A method as claimed in claim 38, wherein said complementary information comprises personal data, said data being combined with generic data forming said content of said first signal.

40. (Currently Amended) A method as claimed in claim 38, wherein said second signal further comprises ~~schedule and configuration data~~ relating to said first signal identifying said content.

41. - 44. Cancelled